



1750 Young Ct, Ste A, Norcross,
GA 30093

info@euromastercabinet.com
[770-906-4907](tel:770-906-4907)

EUROMASTER CABINET SPECIFICATION BOOK

EC

Euromaster
Cabinet | by killim



QUALITY THAT DELIVERS

Our cabinets are built using precision-engineered, patented construction, combining durability with fast, tool-friendly installation. Built to last, designed to impress – a smart investment for contractors and homeowners.



FAST & EASY ORDERING

Our secure 24/7 Dealer Portal lets you order with ease – flat-packed (RTA) or pre-assembled. Inventory ships fast from our Norcross, GA warehouse, saving you time on every project.



DEDICATED CUSTOMER SERVICE

You'll work directly with your own account manager – no call centers. We're here to support you with quotes, layouts, product info, and real-time order help – Monday to Friday, 8 AM to 5 PM EST.




SUPERIOR DELIVERY SPEED

Most orders ship within 2–6 business days. We treat every order with urgency, whether it's one unit or one hundred. Same-day pickups available for in-stock products.



BUILT FOR CONTRACTORS

Our cabinets are designed to be assembled in under 5 minutes, saving hours on labor. No complicated instructions – just smart, efficient construction built with pros in mind.



3-YEAR LIMITED WARRANTY



We guarantee the quality of our construction and finishes with a 3-Year Limited Warranty for materials and workmanship under normal residential use. We are dedicated to providing reliable cabinets and addressing any proven defects professionally and thoughtfully.

Threespine™ ID

Furniture assembly for the future

Threespine ID – Inclined Dowel – is a brand-new locking system that makes furniture assembly exceptionally fast and easy with secure and reliable results – every time. This innovative solution makes assembly of all types of furniture up to ten times as fast as traditional methods. You simply click the pieces together, without the need of fittings, tools, or glue.


Euromaster Cabinet is proud to be the exclusive partner and authorized user of the patented Threespine® ID – Inclined Dowel – technology in the United States. This cutting-edge assembly solution, developed by Valinge Innovation, revolutionizes cabinet construction by enabling tool-free, glue-free assembly that is up to ten times faster than traditional methods. Through this partnership, Euromaster delivers unmatched efficiency, reliability, and ease of installation—empowering contractors and homeowners alike with next-generation European innovation now available from stock in the U.S.



**10x FASTER
INSTALLATION**



**FUTURE-READY
DESIGN**



**TOOLLESS
RECONFIGURATION**



**GUARANTEED
STABILITY**



Solid results, made to last

The inclined dowels and the unique locking device are integrated with the design during production. It is what successfully prevents the panels from separating and ensures lasting results. This makes the assembly process easy and fail-safe and creates strong, durable connections.

Everything clicks into place

Assembling furniture using Threespine technology is so fast that it is done in a fraction of the time it takes to assemble furniture using more traditional assembly methods. It's a one-person job and saves time for both professionals and DIYers.

Lower your environmental impact

The easy assembly, disassembly, and re-assembly process creates opportunities for more circular processes. It opens up new design possibilities, makes it possible to extend a product's potential life, and promotes reuse and recycling – all benefits that will be essential requirements in the near future.


Streamlined production and global connections

At Vålinge, we are committed to working jointly with our licensees to ensure a streamlined production process and the high-quality results our technologies are known for. We provide all Threespine licensees with first-class support services, connect them with industry-leading machine suppliers, and give them access to our global network of retailers and manufacturers.



Vålinge

How it works



Position the panel with dowels over the holes in the other panel. Press straight down. The locking pin will be compressed and as the panel reaches its final position. The locking pin snaps out into the receiving hole and achieves a strong connection.

Threespine® ID – Inclined Dowel – is a brand-new locking system that makes furniture assembly exceptionally fast and easy with secure and reliable results – every time. This innovative solution makes assembly of different types of furniture up to ten times faster than traditional methods. You simply click the pieces together, without the need of fittings, tools or glue.

How it works

It's the inclined dowels and the newly developed locking device that efficiently prevent panels from separating and secure lasting results. The incredibly strong connection is integrated in production making installation completely fail-safe. Threespine ID is based on the industry's traditional drilling methods to ensure effortless implementation.

- ✓ *Easy implementation*
- ✓ *Integrated locking device*
- ✓ *Strong connection*

The fast track to success

Assembly is up to ten times faster than any traditional alternative. Not needing any nails, screws or fittings efficiently eliminates the risk of damage in the assembly process, regardless of being done in factory or RTA. We dare to say it's the fastest – and easiest – way to assemble furniture available.



"We are very satisfied with choosing Threespine ID! Because it is easy. I wonder why I didn't come up with this system myself."

Ursula Hammerbacher

It's a sustainable IDEa

The obvious environmental gains are flatpacks and not needing minifix but the real opportunity for sustainable change is through the unique and easy disassembly process. This makes it possible to design versatile furniture that are changeable in form and function, it makes replacement of parts easy, extends product longevity, and allows for smooth recycling options.

- ✓ *Up to 10 x faster assembly*
- ✓ *No visible holes*
- ✓ *100% fail-safe assembly*
- ✓ *Designed for the future*
- ✓ *No tools needed*

Meeting the future with us is easy

All Threespine technologies are developed and patented by Vålinge Innovation. A global innovation company renowned for ground-breaking inventions within the flooring and furniture industries. Partnering with us means extensive support and market-leading technologies and to make implementation truly effortless you get access to our global network of machine suppliers, software specialists, manufacturers and resellers.



**10x FASTER
INSTALLATION**



**TOOL-FREE
ASSEMBLY**

Terms & Conditions of Sale and Warranty

At Euromaster Cabinet, we proudly stand behind the quality of our construction and finishes. All Euromaster products are backed by a 3-Year Limited Warranty covering material and workmanship under normal residential use. We build cabinets you can count on – and we're committed to resolving any proven defect with professionalism and care.

Payment Terms

All orders require 100% upfront payment to begin processing. Production, shipping, and delivery will only begin after payment is received and confirmed.

Order Finalization & Modifications

Once payment is made, orders are considered final and binding. Any change requests must be made in writing within 24 hours and may result in additional charges or delays.

Cancellations & Refunds

Orders are non-refundable once payment is received. If a manufacturing or shipping error is proven to be Euromaster Cabinet's responsibility, we will either correct, replace, or partially refund the affected product at our discretion.

Lead Time & Delivery

Delivery or pickup times are estimated after full payment. Euromaster Cabinet is not liable for delays caused by shipping companies, customs, weather, or other events beyond our control.

Product Inspection & Acceptance

Customers must inspect all items at the time of delivery or pickup. Claims for damages, missing items, or defects must be reported in writing within 3 business days. After that, the order is considered accepted as-is.

Warranty & Liability Limitations

Our standard 3-Year Limited Warranty covers product defects in materials and workmanship. We do not cover installation costs, labor charges, project delays, or indirect damages of any kind.

Governing Law

This agreement is governed by the laws of the State of Georgia, with disputes handled in Gwinnett County courts.

TRANSPORTATION POLICY

Delivery & Shipment Terms

- All orders are delivered or shipped from our Norcross, GA warehouse, unless otherwise agreed in writing.
- Euromaster’s responsibility ends once items are transferred in good condition to a third-party carrier.
- Products shipped via outside carriers are at the buyer’s own risk.
- We are not liable for delivery delays due to weather, carrier issues, acts of God, or other circumstances beyond our control.
- In cases of supply limitations, Euromaster may allocate available stock among customers as deemed reasonable.

Delivery Conditions & Access Notification

- At order placement, notify us of delivery conditions:
 - Residential or commercial site
 - Gate codes, restricted vehicle access, offloading needs
 - Low clearances or difficult terrain
 - Buyer Agent’s name and contact info

Failure to Receive Delivery

- Buyer or authorized Agent must be present to receive and inspect delivery.
- If no one is present, the driver will wait a maximum of 15 minutes.
- If still unattended, the delivery will be canceled and charged at full cost. Rescheduled deliveries are billed separately.

Delivery Procedure

- Buyer must remove obstacles before delivery.
- Deliveries will be made to ground level, driveways, or loading docks only.
- No items will be brought into homes or buildings.
- Buyer or Agent must inspect and sign for the shipment upon arrival, noting any damage or discrepancies.
- If no damage is noted, claims for visible damage may be denied.
- Keep all packaging for 3rd-party damage claims.
- Take photos at delivery and inspect for hidden damage within 24 hours.

CLAIMS & POLICIES

Shipping Discrepancies & Damages

All visible damage or shipping issues must be reported within 3 business days. For hidden damages, carriers enforce a 72-hour limit for claims. Keep packaging intact and email: info@euromastercabinet.com with:

Order number

Description of issue

Photos of packaging and product

Euromaster Delivery Claims

Email discrepancies or damage reports to: info@euromastercabinet.com within 24 hours of delivery.

Damage & Defect Claims

Only damaged or defective components are eligible for claims.

Visible damage: Report within 24 hours

Defects (non-shipping related): Report within 30 days of payment

Euromaster may choose to replace only damaged parts, not full cabinets.

Warranty Claims

Buyers must assist End Users in submitting warranty claims.

Date of purchase and product info must be verifiable.

Send claims to: info@euromastercabinet.com, including photos and the original Sales Order.

RETURN, EXCHANGE & REFUND POLICY

Requests must be submitted within 30 days of payment.

Must include Sales Order number and photos.

A Return Merchandise Authorization (RMA) is required.

Made-to-order items are non-returnable (e.g., custom panels, modified units, opened boxes).

Items must be returned in original, sealed, undamaged boxes.

Approved returns are subject to a 25% restocking fee.

Opened, assembled, altered, or dirty items will not be accepted.

Products damaged in shipping are not eligible for return – they must follow the damage claim process.

Euromaster reserves the right to deny any return or refund request.

TERMS & CONDITIONS

100% Payment required to start processing.

Orders are final after payment; changes within 24 hrs only.

No cancellations/refunds unless Euromaster is at fault.

Delivery estimates begin after payment and are not guaranteed.

Buyer must inspect deliveries and report issues within 3 days.

Euromaster is not liable for indirect or incidental damages.

All terms are governed by Georgia State Law. Legal disputes must be filed in Gwinnett County, GA.

INNOVATION FOR CABINET CONSTRUCTION



Frameless "Full-Access" Construction

01 Construction: Frameless (Full-Access) Construction with Toolless Assembly system patented as Threespine ID

02 End Panels: Full Height side panels ;
3/4" 2s White Melamine faced Plywood

03 Top/Bottom: 3/4" 2s White Melamine faced Plywood


04 Back: 5/32" (4mm) 2s White MDF

05 Adjustable Shelves: 3/4" 2s White Melamine faced Plywood (for base Full depth shelves)

06 Drawer Boxes : Bottom and Back is, 3/4" 2s White Melamine faced Plywood Drawer system is Double Wall Metal Drawer Box (European Brand) Slides are full extension soft close European Branded

07 Toe Kick: 4-1/2" High panel matching with door color

08 Hinges: European concealed hinges with 6 way adjustable, soft close, easy to install systems




Threespine® ID

Patented by
Välinge

EC Euromaster
Cabinet | by **killim**
Innovation In Kitchen

WALL CABINET DETAILED FEATURES



BASE CABINET DETAILED FEATURES

01

Back panel. 1/4" Finished plywood with 12" x 2 3/8" bordering frame. Set into side panels with dado cut channel(s). Secured with supplied metal I-brackets to side panel.

02

Sturdy 3/4" white plywood box construction with a white TFL interior and exterior finish constructed with wood dowels glue and clamped.

03

Adjustable shelf made of 3/4" plywood edge banding on all 4 sides. Supported by 1/4" steel, nickel plated metal shelf rests.

04

Slim 1/2" double-walled metal drawer with a 5/8" plywood bottom and rear panel supports.

05


6-Way adjustable soft close full overlay hinge. All steel construction with nickel plated finish. Self closing feature allows door to close unassisted when approximately 10-15 degrees open.

06

Solid 3/4" eco-friendly engineered furniture board door and drawer fronts. White Slim Shaker door is constructed with a wood frame.

07

Solid 3/4" eco-friendly engineered furniture board door and drawer fronts. White Slim Shaker door is constructed with a wood frame.



RTA (Ready-To-Assemble) System

- Designed for fast installation
- Reduces labor costs for builders and installers
- Includes all hardware, clear labeling, and step-by-step instructions
- Pre-drilled and pre-fitted with locking components
- Clean seams, strong joints, no visible hardware

DURABILITY + PROTECTION

- Moisture-resistant finishes
- Heavy-duty soft-close hardware tested for 25,000+ cycles
- Load-bearing shelves, secure metal clips, and stable structure
- Scratch- and stain-resistant interior surfaces

BUILT TO OUTPERFORM – INSIDE AND OUT

The Euromaster Box Structure: Engineered Strength. Elegant Simplicity.
Behind every sleek Euromaster door lies a powerhouse of precision engineering.

All-Plywood Core

We don't cut corners. Euromaster boxes are crafted from durable, high-grade plywood, delivering exceptional stability, moisture resistance, and load-bearing power.

Lock-and-Go Click Assembly

No special tools.

No stress.

Just smart design built to save time and labor.

Sleek Meets Sanitary

Our laminate interiors are not just beautiful – they're easy to clean and built to last. Say goodbye to warping and water damage.

Rock-Solid Reinforcement

Our products are built to last with reinforced construction and premium materials—ensuring stability, strength, and long-term durability in every unit.

Silent Efficiency

Pair your box with soft-close hinges and drawers for a whisper-quiet, high-end experience every time you open or close.

EUROMASTER DOOR STYLES

Our curated collection of cabinet doors combines timeless design with modern functionality. All styles are crafted with precision and engineered for easy installation and long-lasting performance.

◆ Discover the Art of Modern Elegance with Euromaster Door Styles

At Euromaster Cabinet, we believe that every kitchen deserves more than just functionality—it deserves a statement. Our signature Door Styles Collection brings together the best of European innovation and contemporary American taste, transforming ordinary kitchens into sophisticated, high-performance spaces.

■ Minimal Design, Maximum Impact

Each Euromaster door is crafted with sleek, frameless European precision. The result? A clean, modern aesthetic that elevates the entire room while optimizing space and workflow.

■ Patented Easy-Assembly Engineering

Forget the hassle. Our doors are designed with our patented system that makes installation fast, smooth, and secure—saving you both time and labor.

■ Textures that Speak Luxury

Choose from a curated palette of premium finishes:

✨ High Gloss for a reflective, modern look


🧱 Textured Woodgrain for a natural, earthy feel

👐 Matte Touch for a soft, fingerprint-resistant surface

💧 Moisture-Resistant and 🔒 Scratch-Resistant surfaces built for real life

■ Style Meets Durability

Whether you're a contractor looking for reliable performance or a homeowner seeking lasting elegance, Euromaster doors are engineered to impress and endure.



Textured



Matte touch



Glossy



Scratch resistant



Moisture resistant

EUROPEAN STYLE DOOR SELECTION

TFL TEXTURE SLAB DOORS


ATLANTA
(ASH OAK)



REMBRANDT
(CHOCOLATE OAK)



MONET
(WHITE OAK)



KLIMT
(NATURAL OAK)



UV HIGH GLOSS SLAB DOORS

WHITE



PET

UV SUPER MATT SLAB DOORS

ANTHRACITE
(MATT ANTHRACITE GREY)



EC **Euromaster**
Cabinet | by **killim**
Innovation In Kitchen

info@euromastercabinet.com

(+1) 770-906-4907

1750 Young Ct, Suite A
Norcross, GA 30093

EUROMASTER CLICK CABINETS COLLECTION

Patented • Premium • Precision Engineered

Welcome to the Euromaster Click Cabinets Collection – where European design meets American efficiency.

Crafted with precision and powered by innovation, this collection features our patented click-assembly system (effortless assembly), designed to eliminate the hassle, time, and labor cost traditionally associated with cabinet installation.

Whether you're a contractor looking for speed or a homeowner who wants a luxury look without a luxury headache, Click Cabinets are your go-to solution.

Available in a range of standard sizes, each unit is crafted from premium plywood, features soft-close hardware, and ships flat-packed or pre-assembled.

Why Click Cabinets?

No Tools. No Screws. Just Click.

Our revolutionary system allows for tool-free assembly, making installation up to 3x faster than traditional RTA cabinets.

Engineered in Europe, Perfected for the U.S. Market

Sleek, modern aesthetics paired with durable, moisture- and scratch-resistant finishes that match today's top design trends.

Patented Innovation

Each cabinet is built on a patented rail-and-lock system that ensures tight joints, long-lasting durability, and clean lines – with zero compromise on strength.

In-Stock & Ready to Ship from Georgia

Forget long lead times. Our Norcross, GA warehouse is fully stocked to deliver when you need it – whether it's a single kitchen or a multi-unit project.

Ideal For:

Professional installers **who want to save** labor hours

Designers **who demand modern, frameless style**

Contractors **working on time-sensitive builds**

DIYers looking for **premium quality without complexity**














- **¾" plywood box construction**
- **Soft-close hinges and full-extension drawer slides**
- **Pre-drilled for fast assembly**
- **European frameless design**
- **CARB2 compliant materials**






Kitchen Base Cabinets

Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
Full Height One Door Bases										
	FHB9 Full Height One Door Cabinet	876 mm.	229 mm.	630 mm.	39 Lb.	34 1/2	9	24	24 4/5	FHB09
	FHB12 Full Height One Door Cabinet	876 mm.	305 mm.	630 mm.	45 Lb.	34 1/2	12	24	24 4/5	FHB12
	FHB15 Full Height One Door Cabinet	876 mm.	381 mm.	630 mm.	50 Lb.	34 1/2	15	24	24 4/5	FHB15
	FHB18 Full Height One Door Cabinet	876 mm.	457 mm.	630 mm.	55 Lb.	34 1/2	18	24	24 4/5	FHB18
	FHB21 Full Height One Door Cabinet	876 mm.	533 mm.	630 mm.	60 Lb.	34 1/2	21	24	24 4/5	FHB21
Full Height Two Doors Bases										
	FHB24 Full Height Two Doors Cabinet	876 mm.	610 mm.	630 mm.	66 Lb.	34 1/2	24	24	24 4/5	FHB24
	FHB27 Full Height Two Doors Cabinet	876 mm.	686 mm.	630 mm.	71 Lb.	34 1/2	27	24	24 4/5	FHB27
	FHB30 Full Height Two Doors Cabinet	876 mm.	762 mm.	630 mm.	76 Lb.	34 1/2	30	24	24 4/5	FHB30
	FHB33 Full Height Two Doors Cabinet	876 mm.	838 mm.	630 mm.	82 Lb.	34 1/2	33	24	24 4/5	FHB33
	FHB36 Full Height Two Doors Cabinet	876 mm.	914 mm.	630 mm.	87 Lb.	34 1/2	36	24	24 4/5	FHB36
	FHB42 Full Height Two Doors Cabinet	876 mm.	1066 mm.	630 mm.	97 Lb.	34 1/2	42	24	24 4/5	FHB42
One Door- One Drawer Bases										
	B12 One Drawer - One Door Base Cabinet	876 mm.	305 mm.	630 mm.	55 Lb.	34 1/2	12	24	24 4/5	B12
	B15 One Drawer - One Door Base Cabinet	876 mm.	381 mm.	630 mm.	62 Lb.	34 1/2	15	24	24 4/5	B15
	B18 One Drawer - One Door Base Cabinet	876 mm.	457 mm.	630 mm.	68 Lb.	34 1/2	18	24	24 4/5	B18
	B21 One Drawer - One Door Base Cabinet	876 mm.	533 mm.	630 mm.	74 Lb.	34 1/2	21	24	24 4/5	B21
Two Doors- One Drawer Bases										
	B24 One Drawer - Two Doors Base Cabinet	876 mm.	610 mm.	630 mm.	81 Lb.	34 1/2	24	24	24 4/5	B24
	B27 One Drawer - Two Doors Base Cabinet	876 mm.	686 mm.	630 mm.	87 Lb.	34 1/2	27	24	24 4/5	B27
	B30 One Drawer - Two Doors Base Cabinet	876 mm.	762 mm.	630 mm.	93 Lb.	34 1/2	30	24	24 4/5	B30
	B33 One Drawer - Two Doors Base Cabinet	876 mm.	838 mm.	630 mm.	99 Lb.	34 1/2	33	24	24 4/5	B33
	B36 One Drawer - Two Doors Base Cabinet	876 mm.	914 mm.	630 mm.	106 Lb.	34 1/2	36	24	24 4/5	B36
Two Drawers Bases										
									0	
	2DB12 Two Drawers Base Cabinet	876 mm.	305 mm.	630 mm.	64 Lb.	34 1/2	12	24	24 4/5	2DB12
	2DB15 Two Drawers Base Cabinet	876 mm.	381 mm.	630 mm.	70 Lb.	34 1/2	15	24	24 4/5	2DB15
	2DB18 Two Drawers Base Cabinet	876 mm.	457 mm.	630 mm.	77 Lb.	34 1/2	18	24	24 4/5	2DB18
	2DB21 Two Drawers Base Cabinet	876 mm.	533 mm.	630 mm.	83 Lb.	34 1/2	21	24	24 4/5	2DB21
	2DB24 Two Drawers Base Cabinet	876 mm.	610 mm.	630 mm.	90 Lb.	34 1/2	24	24	24 4/5	2DB24
	2DB27 Two Drawers Base Cabinet	876 mm.	686 mm.	630 mm.	96 Lb.	34 1/2	27	24	24 4/5	2DB27
	2DB30 Two Drawers Base Cabinet	876 mm.	762 mm.	630 mm.	103 Lb.	34 1/2	30	24	24 4/5	2DB30
	2DB33 Two Drawers Base Cabinet	876 mm.	838 mm.	630 mm.	109 Lb.	34 1/2	33	24	24 4/5	2DB33
	2DB36 Two Drawers Base Cabinet	876 mm.	914 mm.	630 mm.	116 Lb.	34 1/2	36	24	24 4/5	2DB36
	2DB42 Two Drawers Base Cabinet	876 mm.	1066 mm.	630 mm.	129 Lb.	34 1/2	42	24	24 4/5	2DB42
Three Drawers Bases										
									0	
	3DB12 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	305 mm.	630 mm.	74 Lb.	34 1/2	12	24	24 4/5	3DB12
	3DB15 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	381 mm.	630 mm.	81 Lb.	34 1/2	15	24	24 4/5	3DB15
	3DB18 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	457 mm.	630 mm.	89 Lb.	34 1/2	18	24	24 4/5	3DB18
	3DB21 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	533 mm.	630 mm.	96 Lb.	34 1/2	21	24	24 4/5	3DB21
	3DB24 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	610 mm.	630 mm.	103 Lb.	34 1/2	24	24	24 4/5	3DB24
	3DB27 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	686 mm.	630 mm.	111 Lb.	34 1/2	27	24	24 4/5	3DB27
	3DB30 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	762 mm.	630 mm.	118 Lb.	34 1/2	30	24	24 4/5	3DB30
	3DB33 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	838 mm.	630 mm.	125 Lb.	34 1/2	33	24	24 4/5	3DB33
One false Front & Two Doors Sink Bases										
									0	
	SB24 One False Front Two Doors, Sink Base Cabinet SB27	876 mm.	610 mm.	630 mm.	58 Lb.	34 1/2	24	24	24 4/5	SB24
	One False Front Two Doors, Sink Base Cabinet SB30 One	876 mm.	686 mm.	630 mm.	62 Lb.	34 1/2	27	24	24 4/5	SB27
	False Front Two Doors, Sink Base Cabinet SB33 One	876 mm.	762 mm.	630 mm.	67 Lb.	34 1/2	30	24	24 4/5	SB30
	False Front Two Doors, Sink Base Cabinet SB36 One	876 mm.	838 mm.	630 mm.	71 Lb.	34 1/2	33	24	24 4/5	SB33
Full Height. One Door Blind Bases										
									0	
	BBC40/43FH Base Blind Corner Cabinet ;Carcase 33"/ Door 15"	876 mm.	838 mm.	630 mm.	79 Lb.	34 1/2	33	24	24 4/5	BBC40-43FH(15)33
	BBC43/46FH Base Blind Corner Cabinet ;Carcase 36"/ Door 18"	876 mm.	914 mm.	630 mm.	83 Lb.	34 1/2	36	24	24 4/5	BBC43-46FH(18)36
Full Height. Easy Reach Corner Bases & Lazy Susan Corner Bases										
									0	
	BER33 Full Height 33" Base Easy Reach Corner Cabinet	876 mm.	838 mm.	630 mm.	106 Lb.	34 1/2	33	24	24 4/5	BER33
	BER36 Full Height 36" Base Easy Reach Corner Cabinet	876 mm.	914 mm.	630 mm.	121 Lb.	34 1/2	36	24	24 4/5	BER36
	LSB33 Full Height 33" Base Lazy Susan Corner Cabinet	876 mm.	838 mm.	630 mm.	91 Lb.	34 1/2	33	24	24 4/5	LSB33
Microwave Bases										
									0	
	BMW30 Microwave Base Cabinet ;One Front Panel,One drawer,	876 mm.	762 mm.	630 mm.	95 Lb.	34 1/2	30	24	24 4/5	BMW30




Kitchen Wall Cabinets

Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
13" Deep Bridge Wall Cabinets (2 doors & NO Shelf)										
	W2413 Two Doors,Wall Cabinet	320 mm.	610 mm.	340 mm.	24 Lb.	12 3/5	24	12 3/5	13 2/5	W2413
	W3013 Two Doors,Wall Cabinet	320 mm.	762 mm.	340 mm.	28 Lb.	12 3/5	30	12 3/5	13 2/5	W3013
	W3313 Two Doors,Wall Cabinet	320 mm.	838 mm.	340 mm.	31 Lb.	12 3/5	33	12 3/5	13 2/5	W3313
	W3613 Two Doors,Wall Cabinet	320 mm.	914 mm.	340 mm.	33 Lb.	12 3/5	36	12 3/5	13 2/5	W3613
	W2415 Two Doors,Wall Cabinet	384 mm.	610 mm.	340 mm.	26 Lb.	15 1/8	24	12 3/5	13 2/5	W2415
	W3015 Two Doors,Wall Cabinet	384 mm.	762 mm.	340 mm.	31 Lb.	15 1/8	30	12 3/5	13 2/5	W3015
	W3315 Two Doors,Wall Cabinet	384 mm.	838 mm.	340 mm.	34 Lb.	15 1/8	33	12 3/5	13 2/5	W3315
	W3615 Two Doors,Wall Cabinet	384 mm.	914 mm.	340 mm.	37 Lb.	15 1/8	36	12 3/5	13 2/5	W3615
	W2418 Two Doors,Wall Cabinet	456 mm.	610 mm.	340 mm.	29 Lb.	18	24	12 3/5	13 2/5	W2418
	W3018 Two Doors,Wall Cabinet	456 mm.	762 mm.	340 mm.	35 Lb.	18	30	12 3/5	13 2/5	W3018
	W3318 Two Doors,Wall Cabinet	456 mm.	838 mm.	340 mm.	37 Lb.	18	33	12 3/5	13 2/5	W3318
	W3618 Two Doors,Wall Cabinet	456 mm.	914 mm.	340 mm.	40 Lb.	18	36	12 3/5	13 2/5	W3618
0										
13" Deep Bridge Wall Cabinets (1 door & 1 Shelf)										
	W1223 One Door,Wall Cabinet	576 mm.	305 mm.	340 mm.	22 Lb.	22 2/3	12	12 3/5	13 2/5	W1223
	W1523 One Door,Wall Cabinet	576 mm.	381 mm.	340 mm.	26 Lb.	22 2/3	15	12 3/5	13 2/5	W1523
	W1823 One Door,Wall Cabinet	576 mm.	457 mm.	340 mm.	30 Lb.	22 2/3	18	12 3/5	13 2/5	W1823
	W2123 One Door,Wall Cabinet	576 mm.	533 mm.	340 mm.	34 Lb.	22 2/3	21	12 3/5	13 2/5	W2123
0										
13" Deep Bridge Wall Cabinets (2 doors & 1 Shelf)										
	W2423 Two Doors,Wall Cabinet	576 mm.	610 mm.	340 mm.	37 Lb.	22 2/3	24	12 3/5	13 2/5	W2423
	W2723 Two Doors,Wall Cabinet	576 mm.	686 mm.	340 mm.	41 Lb.	22 2/3	27	12 3/5	13 2/5	W2723
	W3023 Two Doors,Wall Cabinet	576 mm.	762 mm.	340 mm.	45 Lb.	22 2/3	30	12 3/5	13 2/5	W3023
	W3323 Two Doors,Wall Cabinet	576 mm.	838 mm.	340 mm.	48 Lb.	22 2/3	33	12 3/5	13 2/5	W3323
	W3623 Two Doors,Wall Cabinet	576 mm.	914 mm.	340 mm.	52 Lb.	22 2/3	36	12 3/5	13 2/5	W3623
0										
24" Deep Bridge Wall Cabinets (2 doors & NO Shelf)										
	W301324 Two Doors,24 inch Deep Wall Cabinet	320 mm.	762 mm.	630 mm.	43 Lb.	12 3/5	30	24	24 4/5	W301324
	W331324 Two Doors,24 inch Deep Wall Cabinet	320 mm.	838 mm.	630 mm.	46 Lb.	12 3/5	33	24	24 4/5	W331324
	W361324 Two Doors,24 inch Deep Wall Cabinet	320 mm.	914 mm.	630 mm.	50 Lb.	12 3/5	36	24	24 4/5	W361324
	W361524 Two Doors,24 inch Deep Wall Cabinet	384 mm.	914 mm.	630 mm.	54 Lb.	15 1/8	36	24	24 4/5	W361524
	W241824 Two Doors,24 inch Deep Wall Cabinet	456 mm.	610 mm.	630 mm.	43 Lb.	18	24	24	24 4/5	W241824
	W301824 Two Doors,24 inch Deep Wall Cabinet	456 mm.	762 mm.	630 mm.	51 Lb.	18	30	24	24 4/5	W301824
	W331824 Two Doors,24 inch Deep Wall Cabinet	456 mm.	838 mm.	630 mm.	54 Lb.	18	33	24	24 4/5	W331824
	W361824 Two Doors,24 inch Deep Wall Cabinet	456 mm.	914 mm.	630 mm.	58 Lb.	18	36	24	24 4/5	W361824
0										
24" Deep Bridge Wall Cabinets (2 doors & 1 Shelf)										
	W242324 Two Doors,24 inch Deep Wall Cabinet	576 mm.	610 mm.	630 mm.	57 Lb.	22 2/3	24	24	24 4/5	W242324
	W302324 Two Doors,24 inch Deep Wall Cabinet	576 mm.	762 mm.	630 mm.	67 Lb.	22 2/3	30	24	24 4/5	W302324
	W332324 Two Doors,24 inch Deep Wall Cabinet	576 mm.	838 mm.	630 mm.	72 Lb.	22 2/3	33	24	24 4/5	W332324
	W362324 Two Doors,24 inch Deep Wall Cabinet	576 mm.	914 mm.	630 mm.	78 Lb.	22 2/3	36	24	24 4/5	W362324
0										
30" High Wall Cabinets (1 Door)										
	W930 One Door,Wall Cabinet	768 mm.	229 mm.	340 mm.	25 Lb.	30 1/4	9	12 3/5	13 2/5	W0930
	W1230 One Door,Wall Cabinet	768 mm.	305 mm.	340 mm.	29 Lb.	30 1/4	12	12 3/5	13 2/5	W1230
	W1530 One Door,Wall Cabinet	768 mm.	381 mm.	340 mm.	34 Lb.	30 1/4	15	12 3/5	13 2/5	W1530
	W1830 One Door,Wall Cabinet	768 mm.	457 mm.	340 mm.	39 Lb.	30 1/4	18	12 3/5	13 2/5	W1830
	W2130 One Door,Wall Cabinet	768 mm.	533 mm.	340 mm.	44 Lb.	30 1/4	21	12 3/5	13 2/5	W2130
0										
30" High Wall Cabinets (2 Doors)										
	W2430 Two Doors,Wall Cabinet	768 mm.	610 mm.	340 mm.	48 Lb.	30 1/4	24	12 3/5	13 2/5	W2430
	W2730 Two Doors,Wall Cabinet	768 mm.	686 mm.	340 mm.	53 Lb.	30 1/4	27	12 3/5	13 2/5	W2730
	W3030 Two Doors,Wall Cabinet	768 mm.	762 mm.	340 mm.	58 Lb.	30 1/4	30	12 3/5	13 2/5	W3030
	W3330 Two Doors,Wall Cabinet	768 mm.	838 mm.	340 mm.	63 Lb.	30 1/4	33	12 3/5	13 2/5	W3330
	W3630 Two Doors,Wall Cabinet	768 mm.	914 mm.	340 mm.	68 Lb.	30 1/4	36	12 3/5	13 2/5	W3630
0										
36" High Wall Cabinets (1 Door)										
	W936 One Door,Wall Cabinet	912 mm.	229 mm.	340 mm.	28 Lb.	36	9	12 3/5	13 2/5	W0936
	W1236 One Door,Wall Cabinet	912 mm.	305 mm.	340 mm.	33 Lb.	36	12	12 3/5	13 2/5	W1236
	W1536 One Door,Wall Cabinet	912 mm.	381 mm.	340 mm.	38 Lb.	36	15	12 3/5	13 2/5	W1536
	W1836 One Door,Wall Cabinet	912 mm.	457 mm.	340 mm.	44 Lb.	36	18	12 3/5	13 2/5	W1836
	W2136 One Door,Wall Cabinet	912 mm.	533 mm.	340 mm.	49 Lb.	36	21	12 3/5	13 2/5	W2136
0										
36" High Wall Cabinets (2 Doors)										
	W2436 Two Doors,Wall Cabinet	912 mm.	610 mm.	340 mm.	54 Lb.	36	24	12 3/5	13 2/5	W2436
	W2736 Two Doors,Wall Cabinet	912 mm.	686 mm.	340 mm.	59 Lb.	36	27	12 3/5	13 2/5	W2736
	W3036 Two Doors,Wall Cabinet	912 mm.	762 mm.	340 mm.	64 Lb.	36	30	12 3/5	13 2/5	W3036
	W3336 Two Doors,Wall Cabinet	912 mm.	838 mm.	340 mm.	70 Lb.	36	33	12 3/5	13 2/5	W3336
	W3636 Two Doors,Wall Cabinet	912 mm.	914 mm.	340 mm.	75 Lb.	36	36	12 3/5	13 2/5	W3636
0										
42" High Wall Cabinets (1 Door)										
	W942 One Door,Wall Cabinet	1056 mm.	229 mm.	340 mm.	33 Lb.	41 4/7	9	12 3/5	13 2/5	W0942
	W1242 One Door,Wall Cabinet	1056 mm.	305 mm.	340 mm.	39 Lb.	41 4/7	12	12 3/5	13 2/5	W1242
	W1542 One Door,Wall Cabinet	1056 mm.	381 mm.	340 mm.	45 Lb.	41 4/7	15	12 3/5	13 2/5	W1542
	W1842 One Door,Wall Cabinet	1056 mm.	457 mm.	340 mm.	51 Lb.	41 4/7	18	12 3/5	13 2/5	W1842
	W2142 One Door,Wall Cabinet	1056 mm.	533 mm.	340 mm.	57 Lb.	41 4/7	21	12 3/5	13 2/5	W2142
0										
42" High Wall Cabinets (2 Doors)										
	W2442 Two Doors,Wall Cabinet	1056 mm.	610 mm.	340 mm.	63 Lb.	41 4/7	24	12 3/5	13 2/5	W2442
	W2742 Two Doors,Wall Cabinet	1056 mm.	686 mm.	340 mm.	69 Lb.	41 4/7	27	12 3/5	13 2/5	W2742
	W3042 Two Doors,Wall Cabinet	1056 mm.	762 mm.	340 mm.	76 Lb.	41 4/7	30	12 3/5	13 2/5	W3042
	W3342 Two Doors,Wall Cabinet	1056 mm.	838 mm.	340 mm.	82 Lb.	41 4/7	33	12 3/5	13 2/5	W3342
	W3642 Two Doors,Wall Cabinet	1056 mm.	914 mm.	340 mm.	88 Lb.	41 4/7	36	12 3/5	13 2/5	W3642






Flip Up and Corner Wall Cabinets

Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
Flip Up Wall Cabinets H=15"										
	WFL2415 One Door, Flip Up Wall Cabinet	384 mm.	610 mm.	340 mm.	26 Lb.	15 1/8	24	12 3/5	13 2/5	WFL2415
	WFL2715 One Door, Flip Up Wall Cabinet	384 mm.	686 mm.	340 mm.	29 Lb.	15 1/8	27	12 3/5	13 2/5	WFL2715
	WFL3015 One Door, Flip Up Wall Cabinet	384 mm.	762 mm.	340 mm.	31 Lb.	15 1/8	30	12 3/5	13 2/5	WFL3015
	WFL3315 One Door, Flip Up Wall Cabinet	384 mm.	838 mm.	340 mm.	34 Lb.	15 1/8	33	12 3/5	13 2/5	WFL3315
	WFL3615 One Door, Flip Up Wall Cabinet	384 mm.	914 mm.	340 mm.	37 Lb.	15 1/8	36	12 3/5	13 2/5	WFL3615
Flip Up Wall Cabinets H=18"										
	WFL2418 One Door, Flip Up Wall Cabinet	456 mm.	610 mm.	340 mm.	29 Lb.	18	24	12 3/5	13 2/5	WFL2418
	WFL2718 One Door, Flip Up Wall Cabinet	456 mm.	686 mm.	340 mm.	32 Lb.	18	27	12 3/5	13 2/5	WFL2718
	WFL3018 One Door, Flip Up Wall Cabinet	456 mm.	762 mm.	340 mm.	35 Lb.	18	30	12 3/5	13 2/5	WFL3018
	WFL3318 One Door, Flip Up Wall Cabinet	456 mm.	838 mm.	340 mm.	37 Lb.	18	33	12 3/5	13 2/5	WFL3318
	WFL3618 One Door, Flip Up Wall Cabinet	456 mm.	914 mm.	340 mm.	40 Lb.	18	36	12 3/5	13 2/5	WFL3618
Flip Up Wall Cabinets H=15" & H=18" (24" Deep)										
	WFL361524 One Door, Flip Up Wall Cabinet	384 mm.	914 mm.	630 mm.	54 Lb.	15 1/8	36	24	24 4/5	WFL361524
	WFL301824 One Door, Flip Up Wall Cabinet	456 mm.	762 mm.	630 mm.	51 Lb.	18	30	24	24 4/5	WFL301824
	WFL331824 One Door, Flip Up Wall Cabinet	456 mm.	838 mm.	630 mm.	55 Lb.	18	33	24	24 4/5	WFL331824
Corner Wall Cabinets										
	WBC30/3330 One Door, Wall Blind Corner Cabinet	768 mm.	838 mm.	340 mm.	54 Lb.	30 1/4	33	12 3/5	13 2/5	WBC30-3330
	WBC30/3336 One Door, Wall Blind Corner Cabinet	912 mm.	838 mm.	340 mm.	59 Lb.	36	33	12 3/5	13 2/5	WBC30-3336
	WBC30/3342 One Door, Wall Blind Corner Cabinet	1056 mm.	838 mm.	340 mm.	70 Lb.	41 4/7	33	12 3/5	13 2/5	WBC30-3342
Easy Reach Corner Wall Cabinets										
	WER2430 Easy Reach Wall Cabinet	768 mm.	610 mm.	340 mm.	70 Lb.	30 1/4	24	12 3/5	13 2/5	WER2430
	WER2436 Easy Reach Wall Cabinet	912 mm.	610 mm.	340 mm.	77 Lb.	36	24	12 3/5	13 2/5	WER2436
	WER2442 Easy Reach Wall Cabinet	1056 mm.	610 mm.	340 mm.	90 Lb.	41 4/7	24	12 3/5	13 2/5	WER2442

Kitchen Tall Pantry/Oven Cabinets

Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
Tall Pantry Cabinet ; One Upper Door, One Pantry Door										
	TP1284 One Upper Door One Pantry Door, Tall Pantry Cabinet	2124 mm.	305 mm.	630 mm.	116 Lb.	83 5/8	12	24	24 4/5	TP1284
	TP1584 One Upper Door One Pantry Door, Tall Pantry Cabinet	2124 mm.	381 mm.	630 mm.	131 Lb.	83 5/8	15	24	24 4/5	TP1584
	TP1884 One Upper Door One Pantry Door, Tall Pantry Cabinet	2124 mm.	457 mm.	630 mm.	146 Lb.	83 5/8	18	24	24 4/5	TP1884
	TP1290 One Upper Door One Pantry Door, Tall Pantry Cabinet	2268 mm.	305 mm.	630 mm.	122 Lb.	89 2/7	12	24	24 4/5	TP1290
	TP1590 One Upper Door One Pantry Door, Tall Pantry Cabinet	2268 mm.	381 mm.	630 mm.	137 Lb.	89 2/7	15	24	24 4/5	TP1590
	TP1890 One Upper Door One Pantry Door, Tall Pantry Cabinet	2268 mm.	457 mm.	630 mm.	153 Lb.	89 2/7	18	24	24 4/5	TP1890
	TP1295 One Upper Door One Pantry Door, Tall Pantry Cabinet	2412 mm.	305 mm.	630 mm.	131 Lb.	95	12	24	24 4/5	TP1295
	TP1595 One Upper Door One Pantry Door, Tall Pantry Cabinet	2412 mm.	381 mm.	630 mm.	148 Lb.	95	15	24	24 4/5	TP1595
	TP1895 One Upper Door One Pantry Door, Tall Pantry Cabinet	2412 mm.	457 mm.	630 mm.	165 Lb.	95	18	24	24 4/5	TP1895
Tall Pantry Cabinet ; Two Upper Doors, Two Pantry Doors										
	TP2484 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2124 mm.	610 mm.	630 mm.	176 Lb.	83 5/8	24	24	24 4/5	TP2484
	TP3084 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2124 mm.	762 mm.	630 mm.	206 Lb.	83 5/8	30	24	24 4/5	TP3084
	TP2490 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2268 mm.	610 mm.	630 mm.	184 Lb.	89 2/7	24	24	24 4/5	TP2490
	TP3090 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2268 mm.	762 mm.	630 mm.	215 Lb.	89 2/7	30	24	24 4/5	TP3090
	TP2495 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2412 mm.	610 mm.	630 mm.	191 Lb.	95	24	24	24 4/5	TP2495
	TP3095 Two Upper Doors Two Pantry Doors, Tall Pantry Cabinet	2412 mm.	762 mm.	630 mm.	223 Lb.	95	30	24	24 4/5	TP3095
Tall Oven Cabinet ; 3 Drawers, (Two Short & One Tall)										
	OC3084 Two Short One Tall, 3 Drawers, Tall Oven Cabinet	2124 mm.	762 mm.	630 mm.	228 Lb.	83 5/8	30	24	24 4/5	OC 3DRWS 3084
	OC3090 Two Short One Tall, 3 Drawers, Tall Oven Cabinet	2268 mm.	762 mm.	630 mm.	236 Lb.	89 2/7	30	24	24 4/5	OC 3DRWS 3090
	OC3095 Two Short One Tall, 3 Drawers, Tall Oven Cabinet	2412 mm.	762 mm.	630 mm.	254 Lb.	95	30	24	24 4/5	OC 3DRWS 3095
Tall Double Oven Cabinet ; 2 Drawers, (One Short & One Tall)										
	DOC3084 One Short One Tall, 2 Drawers, Tall Double Oven Cabinet	2124 mm.	762 mm.	630 mm.	186 Lb.	83 5/8	30	24	24 4/5	DOC 2DRWS 3084
	DOC3090 One Short One Tall, 2 Drawers, Tall Double Oven Cabinet	2268 mm.	762 mm.	630 mm.	204 Lb.	89 2/7	30	24	24 4/5	DOC 2DRWS 3090
	DOC3095 One Short One Tall, 2 Drawers, Tall Double Oven Cabinet	2412 mm.	762 mm.	630 mm.	212 Lb.	95	30	24	24 4/5	DOC 2DRWS 3095

Vanity Bases

Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
Full Height One Door Vanity Bases										0
	VBFH12 Full Height Vanity Base Cabinet	876 mm.	305 mm.	553 mm.	40 Lb.	34 1/2	12	21	21 7/9	VFHB12
	VBFH15 Full Height Vanity Base Cabinet	876 mm.	381 mm.	553 mm.	45 Lb.	34 1/2	15	21	21 7/9	VFHB15
	VBFH18 Full Height Vanity Base Cabinet	876 mm.	457 mm.	553 mm.	51 Lb.	34 1/2	18	21	21 7/9	VFHB18
One Door - One Drawer Vanity Bases										0
	VB12 One Drawer - One Door Vanity Base Cabinet	876 mm.	305 mm.	553 mm.	51 Lb.	34 1/2	12	21	21 7/9	VB12
	VB15 One Drawer - One Door Vanity Base Cabinet	876 mm.	381 mm.	553 mm.	57 Lb.	34 1/2	15	21	21 7/9	VB15
	VB18 One Drawer - One Door Vanity Base Cabinet	876 mm.	457 mm.	553 mm.	63 Lb.	34 1/2	18	21	21 7/9	VB18
Two Drawers Vanity Bases										0
	2D VB12 Two Drawers Vanity Base Cabinet	876 mm.	305 mm.	553 mm.	59 Lb.	34 1/2	12	21	21 7/9	2DVB12
	2D VB15 Two Drawers Vanity Base Cabinet	876 mm.	381 mm.	553 mm.	66 Lb.	34 1/2	15	21	21 7/9	2DVB15
	2D VB18 Two Drawers Vanity Base Cabinet	876 mm.	457 mm.	553 mm.	72 Lb.	34 1/2	18	21	21 7/9	2DVB18
Three Drawers Vanity Bases										0
	3D VB12 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	305 mm.	553 mm.	70 Lb.	34 1/2	12	21	21 7/9	3DVB12
	3D VB15 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	381 mm.	553 mm.	76 Lb.	34 1/2	15	21	21 7/9	3DVB15
	3D VB18 Two Short ,One Tall , 3 Drawers Base Cabinet	876 mm.	457 mm.	553 mm.	83 Lb.	34 1/2	18	21	21 7/9	3DVB18
One false Front & Two Doors Vanity Sink Bases										0
	VS24 One False Front Two Doors, Vanity Sink Base Cabinet	876 mm.	610 mm.	553 mm.	54 Lb.	34 1/2	24	21	21 7/9	VS24
	VS27 One False Front Two Doors, Vanity Sink Base Cabinet	876 mm.	686 mm.	553 mm.	58 Lb.	34 1/2	27	21	21 7/9	VS27
	VS30 One False Front Two Doors, Vanity Sink Base Cabinet	876 mm.	762 mm.	553 mm.	62 Lb.	34 1/2	30	21	21 7/9	VS30
	VS33 One False Front Two Doors, Vanity Sink Base Cabinet	876 mm.	838 mm.	553 mm.	66 Lb.	34 1/2	33	21	21 7/9	VS33
	VS36 One False Front Two Doors, Vanity Sink Base Cabinet	876 mm.	914 mm.	553 mm.	70 Lb.	34 1/2	36	21	21 7/9	VS36
Fillers, Mouldings, Panels & misc.										
Product Drawing	Product Description	Height (mm.)	Width (mm.)	Depth (mm.)	Weight (Lb)	Height (inch)	Width (inch)	Depth (inch)	Depth (inch)	SKU
Fillers, Mouldings, Panels & misc.										
	MockUp12 One Drawer - One Door Base Cabinet	605 mm.	305 mm.	325 mm.	31 Lb.	23 5/6	12	12	12 4/5	MockUp12
	TKC109 Toe Kick	105 mm.	2750 mm.	18 mm.	9 Lb.	4 1/7	108 1/4	5/7	5/7	ITKC109
	WF330 H30 inch Wall Filler	768 mm.	76 mm.	18 mm.	2 Lb.	30 1/4	3	5/7	5/7	WF330
	WF630 H30 inch Wall Filler	768 mm.	152 mm.	18 mm.	4 Lb.	30 1/4	6	5/7	5/7	WF630
	WF336 H36 inch Wall Filler	912 mm.	76 mm.	18 mm.	2 Lb.	36	3	5/7	5/7	WF336
	WF636 H36 inch Wall Filler	912 mm.	152 mm.	18 mm.	4 Lb.	36	6	5/7	5/7	WF636
	WF342 H42 inch Wall Filler	1056 mm.	76 mm.	18 mm.	2 Lb.	41 4/7	3	5/7	5/7	WF342
	WF642 H42 inch Wall Filler	1056 mm.	152 mm.	18 mm.	5 Lb.	41 4/7	6	5/7	5/7	WF642
	TF384 H84 inch Tall Filler	2124 mm.	76 mm.	18 mm.	5 Lb.	83 5/8	3	5/7	5/7	TF384
	TF684 H84 inch Tall Filler	2124 mm.	152 mm.	18 mm.	10 Lb.	83 5/8	6	5/7	5/7	TF684
	TF390 H90 inch Tall Filler	2268 mm.	76 mm.	18 mm.	5 Lb.	89 2/7	3	5/7	5/7	TF390
	TF690 H90 inch Tall Filler	2268 mm.	152 mm.	18 mm.	11 Lb.	89 2/7	6	5/7	5/7	TF690
	TF394 H94 inch Tall Filler	2412 mm.	76 mm.	18 mm.	6 Lb.	95	3	5/7	5/7	TF394
	TF694 H94 inch Tall Filler	2412 mm.	152 mm.	18 mm.	11 Lb.	95	6	5/7	5/7	TF694
	BEP2535 H35 inch Base End Panel	876 mm.	630 mm.	18 mm.	17 Lb.	34 1/2	24 4/5	5/7	5/7	BEP2535
	BPI0944 H44 inch Back Panel	1100 mm.	2750 mm.	18 mm.	92 Lb.	43 1/3	108 1/4	5/7	5/7	BPI0944
	WEPI330 H30 inch Wall End Panel	768 mm.	340 mm.	18 mm.	8 Lb.	30 1/4	13 2/5	5/7	5/7	WEPI330
	WEPI336 H36 inch Wall End Panel	912 mm.	340 mm.	18 mm.	9 Lb.	36	13 2/5	5/7	5/7	WEPI336
	WEPI342 H42 inch Wall End Panel	1056 mm.	340 mm.	18 mm.	11 Lb.	41 4/7	13 2/5	5/7	5/7	WEPI342
	REP2594 H94 inch Refrigerator End Panel	2412 mm.	630 mm.	18 mm.	46 Lb.	95	24 4/5	5/7	5/7	REP2594